

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	114	"709"/\$.ccls. and translat\$3 and (private near3 address\$1) and (public near3 address) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 13:49
S2	10	"709"/\$.ccls. and (NAT or (network near4 translat\$3)).ti. and (private near3 address\$1) and (public near3 address) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 13:50
S3	7	"709"/\$.ccls. and (NAT or (network near4 translat\$3)).ti. and (private near3 address\$1) same (public near3 address) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 16:20
S4	4	"709"/\$.ccls. and (NAT or (network near4 translat\$3)).ti. and (private near3 address\$1) same (public near3 address) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 11:20
S5	8	"709"/\$.ccls. and (NAT or (network near4 translat\$3)).ab. and (private near3 address\$1) same (public near3 address) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 12:54
S6	71	"709"/\$.ccls. and (NAT or (network near4 translat\$3)) and (private near3 address\$1) same (public near3 address) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:46
S7	6	"709"/\$.ccls. and (NAT or (network near4 translat\$3)).ti. and ((private) with (public)) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:01
S8	12	"709"/\$.ccls. and (NAT or (network near4 translat\$3)).ti. and ((private) with (public)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:43

EAST Search History

S9	32	"709"/\$.ccls. and (NAT or (network near4 translat\$3) and (private) and (public))).ab. and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:45
S10	17	"709"/\$.ccls. and (NAT or (network near4 translat\$3) and (private) and (public))).ab. and (table and map\$4) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 14:05
S11	14	"709"/\$.ccls. and (NAT or (network near4 translat\$3) and (private) and (public))).ab. and (table and map\$4) and @ad<=""20011221" and interface\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 14:06
S12	5	"709"/\$.ccls. and (NAT or (network near4 translat\$3) and (private) and (public))).ab. and (table and map\$4) and @ad<=""20011221" and (NAT with interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 14:07
S13	35	"709"/\$.ccls. and (NAT or (network near4 translat\$3) and (private) and (public)) and (table and map\$4) and @ad<=""20011221" and (NAT with interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 14:39
S14	7	"709"/\$.ccls. and (NAT or (network near4 translat\$3) and (private) and (public)) and (table and map\$4) and @ad<=""20011221" and (NAT near1 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:01
S15	4	"709"/\$.ccls. and (MIB) and ((private) and (public)) and (table and map\$4) and @ad<=""20011221" and (NAT near1 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:02
S16	98	"709"/\$.ccls. and (MIB) and ((private) and (public)) and (table and map\$4) and @ad<=""20011221" and (interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:02

EAST Search History

S17	9	"709"/\$.ccls. and (MIB) same ((private)same (public)) and (table and map\$4) and @ad<="20011221" and (interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:04
S18	0	"709"/\$.ccls. and (MIB) same ((private)same (public)) and (table and map\$4) and @ad<="20011221" and (interface\$1) and NAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:04
S19	5245	"709"/\$.ccls. and NAT ((private)same (public)) and (table and map\$4) and @ad<="20011221" and (interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:04
S20	23	"709"/\$.ccls. and NAT same((private)same (public)) and (table and map\$4) and @ad<="20011221" and (interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:26
S21	2	"709"/\$.ccls. and NAT same((private)same (public)) and (table and map\$4) and @ad<="20011221" and (NAT near2 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:27
S22	3	"709"/\$.ccls. and NAT and((private)same (public)) and (table and map\$4) and @ad<="20011221" and (NAT near2 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:29
S23	3	"709"/\$.ccls. and NAT and((private)same (public)) and @ad<="20011221" and (NAT near2 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:29
S24	3	"709"/\$.ccls. and ((private)same (public)) and @ad<="20011221" and (NAT near2 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:29

EAST Search History

S25	7	((private)same (public)) and @ad<="20011221" and (NAT near2 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:32
S26	0	"709"/\$.ccls. and(destination with (private)with (public)) and @ad<="20011221" and (NAT near2 interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:32
S27	19	"709"/\$.ccls. and(destination with (private)with (public)) and @ad<="20011221" and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:37
S28	3	"709"/\$.ccls. and (NAT).ti. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:48
S29	27	"709"/\$.ccls. and (NAT).ab. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:07
S30	22750	"709"/\$.ccls. and (NAT)".ab.and" (private with public) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:08
S31	919	"709"/\$.ccls. and (NAT)".ab." and (private with public) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:10
S32	3	"709"/\$.ccls. and ((NAT)and (private with public)).ab. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:09

EAST Search History

S33	919	"709"/\$.ccls. and (NAT)".ab." and (private with public) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:12
S34	919	"709"/\$.ccls. and (NAT)".ab." and (private with public) and @ad<="20011221" and table\$1 and interface\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:10
S35	919	"709"/\$.ccls. and (NAT)".ab." and (private with public) and @ad<="20011221" and (table\$1 with private near1 address\$2 with public near1 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:11
S36	919	"709"/\$.ccls. and (NAT)".ti." and (private with public) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:12
S37	1	"709"/\$.ccls. and (NAT).ti. and (private with public) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:13
S38	8	"709"/\$.ccls. and (NAT).ab. and (private with public) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:20
S39	16	"709"/\$.ccls. and (NAT) and (destination with private with public) and @ad<="20011221" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:21
S40	1	("6892245").PN.	USPAT; USOCR	OR	OFF	2005/10/12 08:52
S41	1	("6892245").PN.	USPAT; USOCR	OR	OFF	2006/03/21 09:21

EAST Search History

S42	120	NAT with interface and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 09:22
S43	3	NAT with inbound with outbound with interface and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:26
S44	4	NAT same inbound with outbound with interface and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:47
S45	5	address near2 translat\$3 with inbound with outbound with interface and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:50
S46	1037	address near2 translat\$3 with interface and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:50
S47	120	nat with interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:50
S48	58	"709"/\$.ccls. and nat with interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:51
S49	21753898	"709"/\$.ccls. and nat with interfaces and public and private @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 13:52

EAST Search History

S50	30	"709"/\$.ccls. and nat with interfaces and public and private and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:05
S51	0	"709"/\$.ccls. and nat with outbound near2 interfaces and public and private and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:05
S52	0	nat with outbound near2 interfaces and public and private and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:05
S53	4	nat with outbound near2 interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:07
S54	4	nat same outbound near2 interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:07
S55	26	nat and outbound near2 interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:11
S56	21753877	nat and outbound near2 interfaces and translat\$3 with address\$3 @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:11
S57	25	nat and outbound near2 interfaces and translat\$3 with address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:14

EAST Search History

S58	4	nat and outbound near2 interfaces and translat\$3 and privat\$3 and public with address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:20
S59	8	outbound near2 interfaces and translat\$3 and privat\$3 and public with address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:25
S60	15	outbound near2 interfaces and privat\$3 and public with address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:09
S61	2	("20030051052").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:48
S62	0	NAT with (privat\$3 near3 interace) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:49
S63	0	NAT same (privat\$3 near3 interace) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:49
S64	13	NAT same (privat\$3 near3 interface) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:57
S65	42	NAT and (privat\$3 near1 interface) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:00

EAST Search History

S66	32	NAT and (privat\$3 adj1 interface) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:00
S67	7	NAT and (privat\$3 adj3 networks adj1 interface) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:40
S68	0	(NAT same multiple near1 interfaces) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:41
S69	120	(NAT with interfaces) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:42
S70	1425	(privat\$3 with public with interface) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:43
S71	149	(privat\$3 with public with interfaces) and translati\$3 with address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 17:44
S72	14	(privat\$3 with public with interfaces) same translati\$3 with address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:21
S73	1	("6549130").PN.	USPAT; USOCR	OR	OFF	2006/03/22 11:26
S74	1	("6430488").PN.	USPAT; USOCR	OR	OFF	2006/03/22 11:26
S75	1	("6910628").PN.	USPAT; USOCR	OR	OFF	2006/03/22 11:26
S76	1	("4962532").PN.	USPAT; USOCR	OR	OFF	2006/03/29 15:05

EAST Search History

S77	1	("5159592").PN.	USPAT; USOCR	OR	OFF	2006/03/29 15:06
S78	1	("5287103").PN.	USPAT; USOCR	OR	OFF	2006/03/29 15:08
S79	1	("5371852").PN.	USPAT; USOCR	OR	OFF	2006/03/29 15:09
S80	1	("5430715").PN.	USPAT; USOCR	OR	OFF	2006/03/29 15:16
S81	506105	(private\$3 with interface\$1 with public interface\$1)	USPAT	OR	OFF	2006/03/29 15:16
S82	111	(private\$3 near2 interface\$1 with public near1 interface\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:18
S83	0	NAT same(private\$3 near2 interface\$1 with public near1 interface\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:18
S84	3	NAT same(private\$3 near2 port\$1 with public near1 port\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:25
S85	1	("6892245").PN.	USPAT; USOCR	OR	OFF	2006/03/29 15:44
S86	42	NAT and mesh and private\$1 and public\$1 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:45
S87	8	NAT with interface\$1 and mesh and private\$1 and public\$1 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:02
S88	183	NAT with private\$1 and public\$1 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:02

EAST Search History

S89	107	NAT with private\$1 with public\$1 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:02
S90	3	NAT with private\$1 with public\$1 with interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:22
S91	38	router with private\$1 with public\$1 with interfaces and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:29
S92	10	router with private\$1 with public\$1 with interfaces and translat\$3 near2 address\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:30
S93	10	router with private\$1 with public\$1 with interfaces and (translat\$3 near2 address\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 17:01
S94	1	Shteyn.in. and outbound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 15:38
S95	1	("5903851").PN.	USPAT; USOCR	OR	OFF	2006/03/30 15:41
S96	1	("20020087701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 15:46
S97	1	("4229624").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 15:54
S98	39911	(interface\$3 with addresses) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:47

EAST Search History

S99	79	(interface\$3 with addresses with public with private) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:49
S10 0	55	(interface\$3 with addresses with public with private) and translat\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:49
S10 1	30	(interface\$3 with addresses with public with private) same translat\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:51
S10 2	1	(interface\$3 with addresses with public with private with bind\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:52
S10 3	2	(interface\$3 with public with private with bind\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:53
S10 4	74	(interface\$3 with address\$1 with bind\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:30
S10 5	3	(interface\$3 with address\$1 with bind\$4) same private same public and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:19
S10 6	2	("20020116523").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 15:29

EAST Search History

S107	2	("20010056503").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 15:29
S108	76	(interface\$3 with address\$1 with private with public) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:30
S109	5	(interface\$3 with address\$1 with private with public).ab. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:31
S110	0	(interface\$3 with address\$1 with private with public with associat\$3).ab. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:31
S111	8	(interface\$3 with address\$1 with private with public with associat\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:37
S112	1	(interface\$3 with address\$1 with private with public with associat\$3 with translat\$) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:39
S113	0	(interface\$3 with address\$1 with private with public with connetions with translat\$) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:39
S114	0	(interface\$3 with address\$1 with private with public with relationships with translat\$) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:39

EAST Search History

S11 5	0	(interface\$3 with address\$1 with private with public with relationships same translat\$) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:40
S11 6	24	(interface\$3 with address\$1 with private with public with translat\$) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:49
S11 7	2	(interface\$3 with address\$1 with private with public with translat\$ with table) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:53
S11 8	7	(interface\$3 with address\$1 with private with public with table) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 15:56
S11 9	21	(interface\$3 with private with public with table) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 16:00
S12 0	32	(interface\$3 with private with public with relat\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 16:00
S12 1	1	(interface\$3 with private with addresses with public with relat\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 16:01
S12 2	1205	(interface\$3 with addresses with relat\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 16:01

EAST Search History

S12 3	5	(interface\$3 with addresses with relat\$3) same private same public and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 18:03
S12 4	2	("20020087701").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 18:03